Your Guide to Understanding Genetic Conditions

TPI1 gene

triosephosphate isomerase 1

Normal Function

The *TPI1* gene provides instructions for making an enzyme called triosephosphate isomerase 1. This enzyme is involved in a critical energy-producing process known as glycolysis. During glycolysis, the simple sugar glucose is broken down to produce energy for cells. The triosephosphate isomerase 1 enzyme carries out a specific reaction during glycolysis: the conversion of a molecule called dihydroxyacetone phosphate (DHAP) to glyceraldehyde 3-phosphate. This conversion can go both ways, meaning that the triosephosphate isomerase 1 enzyme can also convert glyceraldehyde 3-phosphate back into DHAP. Additional steps convert glyceraldehyde 3-phosphate into other molecules that ultimately produce energy in the form of a molecule called ATP.

For the triosephosphate isomerase 1 enzyme to be turned on (active), it has to attach (bind) to another triosephosphate isomerase 1 enzyme, forming a two-enzyme complex called a dimer.

Health Conditions Related to Genetic Changes

triosephosphate isomerase deficiency

At least 12 mutations in the *TPI1* gene have been found to cause triosephosphate isomerase deficiency. This condition is characterized by a shortage of red blood cells (anemia), movement problems, increased susceptibility to infection, and muscle weakness that can affect breathing and heart function.

TPI1 gene mutations can lead to the production of an enzyme with decreased activity. As a result, glycolysis is impaired and cells have a decreased supply of energy. One TPI1 gene mutation accounts for approximately 80 percent of triosephosphate isomerase deficiency cases. This change replaces the protein building block (amino acid) glutamic acid with the amino acid aspartic acid at position 104 in the triosephosphate isomerase 1 enzyme (written as Glu104Asp or E104D). This mutation causes the enzyme to be unstable and impairs its ability to form a dimer and become active.

Red blood cells depend solely on the breakdown of glucose for energy. Without functional triosephosphate isomerase 1 enzyme to convert DHAP to glyceraldehyde 3-phosphate, red blood cells accumulate DHAP, which is toxic in large quantities. Unlike other cells, red blood cells do not have alternative pathways to break down


DHAP. Due to the buildup of DHAP and the lack of cellular energy, red blood cells die earlier than normal.

Cells with high energy demands, such as nerve cells in the brain, white blood cells, and heart (cardiac) muscle cells are also susceptible to cell death due to reduced energy caused by impaired glycolysis. Nerve cells in the part of the brain involved in coordinating movements (the cerebellum) are particularly affected in people with triosephosphate isomerase deficiency. Death of red and white blood cells, nerve cells in the brain, and cardiac muscle cells leads to the signs and symptoms of triosephosphate isomerase deficiency.

Chromosomal Location

Cytogenetic Location: 12p13.31, which is the short (p) arm of chromosome 12 at position 13.31

Molecular Location: base pairs 6,867,420 to 6,870,946 on chromosome 12 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- TIM
- TPI
- TPID
- triose-phosphate isomerase
- triosephosphate isomerase

Additional Information & Resources

Educational Resources

 Molecular Cell Biology (fourth edition, 2000): The Conversion of Glyceraldehyde 3-phosphate (G3P) to Dihydroxyacetone Phosphate (DHAP) Involves an Intermediate (figure)

https://www.ncbi.nlm.nih.gov/books/NBK21680/figure/A379/

Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28TPI1%5BTIAB%5D%29+OR+%28triosephosphate+isomerase+1%5BTIAB%5D%29%29+OR+%28%28triosephosphate+isomerase%5BTI%5D%29+OR+%28triosephosphate+isomerase%5BTI%5D%29+OR+%28triosephosphate+isomerase%5BTI%5D%29%29+AND+%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D

OMIM

 TRIOSEPHOSPHATE ISOMERASE 1 http://omim.org/entry/190450

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology http://atlasgeneticsoncology.org/Genes/GC TPI1.html
- ClinVar https://www.ncbi.nlm.nih.gov/clinvar?term=TPI1%5Bgene%5D
- HGNC Gene Symbol Report http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/ hqnc data.php&hqnc id=12009
- NCBI Gene https://www.ncbi.nlm.nih.gov/gene/7167
- UniProt http://www.uniprot.org/uniprot/P60174

Sources for This Summary

- De La Mora-De La Mora I, Torres-Larios A, Mendoza-Hernández G, Enriquez-Flores S, Castillo-Villanueva A, Mendez ST, Garcia-Torres I, Torres-Arroyo A, Gómez-Manzo S, Marcial-Quino J, Oria-Hernández J, López-Velázquez G, Reyes-Vivas H. The E104D mutation increases the susceptibility of human triosephosphate isomerase to proteolysis. Asymmetric cleavage of the two monomers of the homodimeric enzyme. Biochim Biophys Acta. 2013 Dec;1834(12):2702-11. doi: 10.1016/j.bbapap.2013.08.012. Epub 2013 Sep 20. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/24056040
- Rodríguez-Almazán C, Arreola R, Rodríguez-Larrea D, Aguirre-López B, de Gómez-Puyou MT, Pérez-Montfort R, Costas M, Gómez-Puyou A, Torres-Larios A. Structural basis of human triosephosphate isomerase deficiency: mutation E104D is related to alterations of a conserved water network at the dimer interface. J Biol Chem. 2008 Aug 22;283(34):23254-63. doi: 10.1074/jbc.M802145200. Epub 2008 Jun 18.

Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/18562316

- OMIM: TRIOSEPHOSPHATE ISOMERASE 1 http://omim.org/entry/190450
- Wierenga RK, Kapetaniou EG, Venkatesan R. Triosephosphate isomerase: a highly evolved biocatalyst. Cell Mol Life Sci. 2010 Dec;67(23):3961-82. doi: 10.1007/s00018-010-0473-9. Epub 2010 Aug 7. Review.

Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/20694739

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/gene/TPI1

Reviewed: August 2014 Published: March 21, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services